

The ultimate in energy efficient, natural ducted gas heating.



Frank Seeley AM FAICD Founder and Executive Chairman

Seeley International is Australia's largest and most awarded air conditioning manufacturer with a history spanning more than 40 years.

Renowned for ingenuity and innovation, Seeley International leads the market in the design and manufacture of heating and cooling systems, with award winning brand names including Breezair, Braemar, Climate Wizard, Convair, Coolair and Coolerado.

With factories in Adelaide, South Australia and Albury, New South Wales, when you buy a Seeley International product you can be confident you're investing in a quality, Australian made climate control solution.

Seeley International never stops striving to engineer and build the world's most energy efficient heaters and coolers. It is this commitment to excellence that's at the heart of everything we do.

For Breezair, the product range is made in Australia.

For Braemar, the evaporative and gas heating product ranges are made in Australia. The inverter add-on cooling product range is assembled in Australia.

For Climate Wizard, the product range is made in Australia

For Convair, the evaporative product range is made in Australia.

For Coolair, the product range is made in Australia.

For Braemar Tudor Romeo, the product range is made in Australia.

For Coolerado, the product range is made/assembled in the US.





Seeley International is proud to be the National Variety Bash partner supporting kids in need across Australia.





Just a few recent awards...

Seeley International is delighted to have been repeatedly recognised for innovation and excellence.

CEO Awards (Executive of the year) 2015 Winner: Innovation and Design Executive Frank Seeley AM FAICD

Impact Awards 2015 Winner: Inaugural Hall of Fame Frank Seeley AM FAICD

CCN Awards 2015

Winner: HVAC&R Leader of the Year

Frank Seeley AM FAICD

The Australian Business Awards 2015

Winner: Best New Product

Braemar 7 star equivalent* ducted gas heater

Good Design Awards 2015

Winner: Product Design: Hardware and Building category

Braemar 7 star equivalent ducted gas heater

BRW Most Innovative Companies List 2015 Top 50 Most Innovative Companies

Seeley International Pty Ltd

Australian Design Awards 2014 Winner: Good Design® Selection

MaglQtouch Controller

United Nations Association of Australia World Environment Day Awards 2014

Winner: Swinburne University of Technology Excellence

in Sustainable Product Design Award Braemar "Super-Six" ducted gas heating

Melbourne Design Awards 2013

Winner: Product Design: Housing & Building Awards

Braemar "Super-Six" ducted gas heating

Family Business Australia

Winner: Award for Entrepreneurship 2013

Frank Seeley AM FAICD











Braemar benefits

For more than 50 years Braemar has been providing Australian families with the world's best, most energy efficient cooling and heating products and has cemented its reputation as a trusted and innovative Australian brand.



Uncompromised product quality and reliability



7 year comprehensive warranty**



10 year heat exchanger and burner warranty



50 year history of Australian excellence



Australian made

- a wise Australian buys Australian!

Braemar ducted gas heating benefits

Braemar ducted gas heating is the best choice for efficiency and comfort.



Ducted gas heating with high star ratings in every category



Superior performance in colder weather compared with reverse cycle heating



Cheaper to run compared with reverse cycle heating



World's first and only, most energy efficient 7 star equivalent* ducted gas heater



Whole-of-home heating, with flexible zoning options




*Star rating equivalent. Based on Australian Gas Association's results calculated in accordance with the testing methodology in AS4556-2011.



Ducted gas heating vs reverse cycle heating

With energy prices rising, ducted gas heating has the edge on reverse cycle when it comes to both efficiency and performance, and even more so now with the world's first 7 star equivalent ducted gas heater from Braemar.

DUCTED GAS HEATING SCORE CARD



Better performance in colder weather

Instant warmth with the touch of a button

Won't dry your skin and eyes

REVERSE CYCLE HEATING SCORE CARD

More expensive to run, compared with the 7 star* ducted gas heater


Efficiency drops as the outside temperature drops

X Takes longer to heat up to desired temperature

Can remove moisture from the air and dry the skin and eyes

Running cost comparison


Braemar 7 star* ducted gas heating is the cheapest whole of home gas heating in Australia, saving you up to \$612 per year when compared to a ducted reverse cycle heater.^



Efficiency comparison

(depending on outdoor temperature)

When it gets really cold outside, reverse cycle systems lose efficiency, while Braemar ducted gas systems keep your home as warm as you want it – no matter how cold it gets outdoors!



^Seeley International's calculation, using data sourced from Sustainability Victoria (2016), adjusted to the Braemar 7 star equivalent ducted gas heater, compared to a standard efficiency electric reverse cycle ducted air conditioning system, for a heated area of 250 m2. Based on 900 hours running per year. Peak electricity tariff – 27.7 c/kWh. Off-peak electricity tariff – 16.6 c/kWh. Marginal natural gas tariff – 1.50 c/MJ for ducted gas heating. Actual costs for your house will depend on the area heated, how long you run the heating for, your thermostat settings, how well insulated the house is, your energy tariffs and your local climate.



Braemar 7 star equivalent

the world's first and most energy efficient ducted gas heater





Braemar 7 star equivalent range



- Lowest running costs by far!
- Australia's first and only inverter motor for ducted gas heating
- MaglQtouch® Controller
- Zoned-heating capable
- Softair™ fan system for greater comfort
- Corrosion-resistant heat exchanger

The world's most energy efficient conventional ducted gas heater

Braemar 6 star range



- Supernova Super-Six, 6.8 star equivalent highest star rating in the 6 star category
- Low running costs
- MaglQtouch Controller
- Zoned-heating capable
- Softair fan system for greater comfort
- Corrosion-resistant heat exchanger

Braemar 5 star condensing range



- Outstanding efficiency
- Very economical to run
- MaglQtouch Controller
- Zoned-heating capable
- Softair fan system for greater comfort
- Corrosion-resistant heat exchanger



- Braemar 5 star non-condensing range
 - Outstanding efficiency
 - Very economical to run
 - MaglQtouch Controller
 - Zoned-heating capable
 - Softair fan system for greater comfort

Small cabinet for easier installation

· No drain required

Braemar 4 star range



- High efficiency
- Economical to run
- MaglQtouch Controller
- Zoned-heating capable
- Softair fan system for greater comfort

Braemar 3 star range



- Value for money
- Easy to operate
- Proven reliability
- Softair fan system for greater comfort
- MaglQtouch Controller as optional upgrade

Braemar 3 star Adaptair series



- Replacement for other older heater products
- Value for mone
- Easy to operate
- Proven reliability
- Softair fan system for greater comfort
- MaglQtouch Controller as optional upgrade

Note: Distribution of 6.8 star and 7 star equivalent models is limited to supporting dealers



Save with a higher star rating

We're constantly striving to engineer ingenious products that keep your family warm and save you money.


Installing a Braemar 7 star equivalent ducted gas heater instead of a 3 star ducted gas heater will save approximately **\$577** per year in running costs![†]



STAR RATING EXPLAINED

In Australia, an Energy Rating Labelling scheme assists customers in selecting more energy efficient appliances. The higher the number of stars on the rating label, the more energy efficient the appliance, meaning greater annual savings on your running costs.

On average an increase of one star means an average usage saving of approximately 10 percent.



Over a five year period you could **save up to \$2,885**^ on your heating costs with 7 star*
ducted gas heating.

Achieve even higher savings by adding zone control to your heating system.

†Data is based on: Gas price = 1.6 c/MJ • House Size - 240 m2 x 2.4 m ceiling height • Operation hours per year • 600 hrs (100 days at 6 hrs per day) - based on AS4556-2011 House Heat load - 0.2 MJ/h/m3 - based on AS4556-2011 • 3.0, 4.0, 5.0, 6.0, 6.8 and 7 star equivalent rated ducted gas heating systems. Note: These figures may vary for individual situations due to variation in factors such as gas price, house size and insulation, heater usage patterns, the area heated, how long you run the heating for, your thermostat settings, how well insulated the house is, your local climate etc.



Features and benefits

Inverter motor

- Australia's **first and only** inverter motor, available on the 7 star* model only
- Inverter technology ensures uninterrupted comfort and **savings** in running costs .

Electronic ignition

- · Eliminates the need for a pilot light
- Ensures dependable ignition
- Monitors all heater, flame sensor and safety functions

AUSTRALIAN MADE & OWNED

Combustion inducer fan

- Ultra safe, whisper quiet operation
- Safely expels all combustion gases outside

Softair™ fan system

- Exclusive to Braemar
- Delivers continuous warm air and ensures no cold drafts

Eco-star Tri-Action™ heat exchanger

- Standard on TQ5, TQM6 and TQS7 series ducted gas heaters
- Maximum heat transfer in minimum space

Multi level safety controls

- Standard on all of our ducted gas heating systems
- Numerous layers of safety points to protect your family and your home

Quiet heating

- Designed to work as quietly as possible
- Distributes warm air via ducts quickly, effectively and discreetly

Flexible installation

- Unit can be safely installed in the roof, under the floor or outside the house[†]
- Ducts can be installed in the ceiling or under the floor
- Two-piece configuration means easy installation through the man hole

†Braemar TQS7 is suitable for internal installations only.

InShot Burner™

- Maximises efficiency
- Reduces need for maintenance



Heater output modulation

Braemar's clever combination of step-modulating gas control, and micro-processor controlled burner cycling means the heater output can reduce to as low as 6% of its maximum, when heating single small areas of the home (in zoned systems, or when the outside temperature increases).

^Braemar TQ4/5 and TQM5/6 series ducted gas heaters, subject to correct heater sizing and duct/zone configuration.

IMPORTANT

Remember to always use qualified, licensed installers who have been trained to install Braemar products. While Seeley International stands by its product quality, a poorly installed product may not operate properly and can even be dangerous. So be sure to buy your product from a reputable dealer (visit braemar.com.au or call 1300 360 815 to find a dealer) and make sure your installer is fully qualified and trained.



Whole-of-home heating

with flexible zoning options

Zoning your house


with MaglQtouch Controller and zone control

EASY AND ECONOMICAL

- Complete control over individual comfort needs
- Flexibility to heat only parts of the house in use
- Customisable 7 day, four time period programming

Save up to an extra 60% on running costs

by adding zone control to your heating system.+



Controller options



MagIQtouch Controller

- Standard with 4, 5, 6 and 7 star equivalent ducted gas heating
- Optional upgrade with 3 star ducted gas heating



Manual Controller

 \checkmark

Standard with 3 star ducted gas heating

+Actual savings achieved will depend on the number of zones and controls installed, actual zone usage pattern, temperature settings, outside temperature, house size and room layout, house insulation, number of outlets, zone system design. Zoning savings are based on: • A range of assumed zone configurations, usage profiles and zone set-temperatures, with energy consumption reduced due to not heating the whole house all of the time; • Individual zone temperature control (a single MagiQtouch Controller in combination with air temperature sensors, or multiple MagiQtouch Controllers).

Actual savings from zoning depend on: • Your individual zoning configuration • The way you use your zones • Zone set temperatures and on/off times • House size, layout and insulation • Outside temperature. Please note: Zoning is not available with 3 star heaters.



Room-level zoning

Enjoy having control over individual comfort levels throughout your home by setting desired temperatures in up to 10 different zones.

Install the MagIQtouch Controller in the central living area and air sensors in each of the zones:

- Control the temperature in each zone independently;
- Turn the various zones on or off at your preferred times independently.

Upgrade the air sensors to MaglQtouch Controllers:


- Control the heating in each zone from that zone;
- Set customisable programming for each of the zones from your MaglQtouch Controller.

Centralised zoning

Comfort made easy with centralised zoning:

- Set your ideal temperature in the common zone
- Create additional zones, all controlled from a single centralised MaglQtouch Controller
- Turn heating on or off in each of the zones so you're not heating areas you aren't using and save!

Your experienced Seeley International dealer will work with you to design the zoning system that best suits your needs and your family's lifestyle.



Innovative MAGI@TOUCH® Controller

Touch screen technology

With the MaglQtouch Controller, operating your Braemar ducted gas heater is easy. Smart, sophisticated and intuitive, its discreet, modern design will blend seamlessly into the décor of your home.

As easy to use as your familiar touch screens, this controller's intuitive user navigation system makes operating simple. Keeping your home and your family warm in winter is easy and economical with the MaglQtouch Controller and your Braemar ducted gas heater.

For year round comfort, operate your Braemar refrigerated add-on or evaporative cooling, from a single controller.

Personalised heating

If you want to "set and forget" a seven-day program that suits your lifestyle, then Braemar's Program mode is for you.

Program mode divides each day into four time periods. You decide when each of these periods begins and what you want your system to be doing.

But you can have flexibility as well. If you leave or arrive home early, you can easily skip forward to the next period. The program will take over again once the next time period begins.

Night quiet mode

When turned on, the Night quiet mode automatically reduces fan speed during the night for whisper quietness.

Customisable

There is no need to display advanced functionality if it isn't required. You have the choice to view simple or advanced displays.

In simple display you can set your mode and temperature and let the MaglQtouch Controller do the rest! Or, if you would like access to more advanced features, by touching 'More' you can select manual temperature mode, manual fan speed mode, or program mode and access other settings.





Optional extra

Allows you to mount your MaglQtouch Controller in the most convenient place in your home, as the MaglQtouch Air Sensor will then take over temperature control from the MaglQtouch Controller. This can then be located in the best place in the house to ensure ultimate heating comfort for everyone.







MAGI@TOUCH CONTROLLER

Zone control

This feature allows:

- Dampers to be added to the system to independently control the climate of each room either with the master MaglQtouch wall controller or by additional MaglQtouch controllers or Air Sensors;
- You to switch off zones that are not in use, thus reducing your running costs.



Gas rate

Depending on the heater model installed the Gas rate function gives you the opportunity to control the amount of gas used by the heater when energy consumption is important.



Program mode

The set and forget seven day, four time period programming is customisable to suit your lifestyle (including a temporary over-ride function).



Date and time

Displays appear on all operation screens.



Child access lock

Select a pin code to control access to your controller.



About appliance

Displays information about your appliance including serial number, model number, and software version.



Adjustable working temperature range

Customise the temperature range displayed on the slider.



Status information

When this option is turned on, a temporary information display window becomes accessible on all Manual and Program screens to aid in troubleshooting.



Screen brightness adjustment

Adjust the brightness of the screen when in standby mode, to suit your home and preference.



Inbuilt diagnostics

If a fault is detected in the system, a fault message dialogue box will appear with information about the fault and some options to resolve the issue.



"We love how quickly our Braemar ducted gas heating warms the whole house and also that we can control the zones."

Maria



Care about the environment?

Compare the CO₂ emissions savings across our range to find the ducted gas heating system that best suits your family.

CO₂ emissions savings per year (tonnes)[‡]

with higher than a 3 star rating Braemar ducted gas heatert







The Adaptair series is specially designed to replace some older heater models and brands.

The Adaptair 3 and 5 star heater dimensions fit perfectly into the space used by some older heaters, making installation even quicker and easier.

- Pre-fitted with brackets to suit existing supply / return air plenum boxes.
- Heater is supplied with a gas inlet pipe to match the existing gas supply location.



Short on space?

Our 5 star non-condensing series has a cabinet that is 30% smaller than other five star heaters.

Not only does this save on space, it also means the heater is easier, and therefore cheaper, to install.

Still boasting a 5 star rating without the need for a condensation drain, the size of the cabinet is reduced, and so is your bill.

‡Seeley International's calculation, CO² emissions data is based on Australian Government Department of Climate Change and Energy Efficiency – National Greenhouse Accounts Factors July 2012.
†Data is based on: • Gas price = 1.6 c/MJ • House Size – 240 m² x 2.4 m ceiling height • Operation hours per year • 600 hrs (100 days at 6 hrs per day) – based on AS4556-2011. House Heat load – 0.2 MJ/h/m³ – based on AS4556-2011 • Annual Energy Consumption (AEC) for different star rated heaters based on AS4556-2011 • 3.0, 4.0, 5.0, 6.0, 8.8 and 7 star equivalent rated ducted gas heating systems.

Note: These figures may vary for individual situations due to variation in factors such as gas price, house size and insulation, heater usage patterns etc.


^CO2 emissions from small car based on: Table 15, "Carbon Emissions from New Australian Vehicles 2011 Information Paper", National Transport Commission Australia. Calculation assumes an annual travel distance of 7900 km/yr.



Year round comfort with cooling options

to complement your Braemar heating system

ADD-ON COOLING



Zoning for individual areas

Inverter models (Invertair[™] series) and fixed speed models (SACC series) available

EVAPORATIVE COOLING

Fresh, healthy air, whole-of-home cooling system

✓ Incredibly low running costs

Enjoy outdoor living, with open windows and doors

Add-on cooling systems

Now you can enjoy year round comfort with cooling systems specifically designed to complement your new or existing † Braemar gas heating system.



High energy efficiency and quiet operation

with Invertair series - Australia's first and only TRUE inverter add-on cooling.



Largest cooling capacity in the nation

Enjoy exceptional comfort without the worry of high energy costs with high quality SACC fixed speed series.



Designed to fit your ducted gas heating system

Refrigerated air-conditioning using the same ductwork and grilles as your Braemar ducted gas heating system.



Easy installation and operation

No need for new ductwork or grilles means simple installation and savings for you.



Achieve year-round comfort

Specifically designed to complement your new or existing[†] Braemar ducted gas heating system.



Compact and economical to run

Can be installed at the same time as your heating system, or added later.

One heater, one cooler, one control



- Advanced touch screen technology
- Enjoy different temperatures in up to 10 zones#
- One touch controller for Braemar heating and cooling

†Applicable to installations where airflow requirements and duct design are suitable. Not all models of Braemar ducted gas heaters are suitable for add-on cooling, so please check with your dealer. #Note: zoning not available with 3 star heaters.





Evaporative cooling systems

Evaporative air-conditioning boasts a long list of benefits to your family and to the environment. With specially installed ducts for cool air, Braemar evaporative cooling systems can complement your Braemar ducted gas heating system and can be operated from the same convenient MaglQtouch Controller.



Fresh, healthy air

Evaporative cooling is a totally natural process filling your home with 100% fresh air – ideal choice for allergy and asthma sufferers[†].



High energy efficiency

Evaporative cooling is the most energy and cost efficient way to cool your whole home.



Low running costs

Unlike refrigerated systems, evaporative cooling consumes less power, hence costs you less to run.



Whisper-quiet cooling

The advanced aerodynamic design of the fan blades, coupled with the state of the art Stealth® fan, produce whisper-quiet, cool, constant, and welcoming breeze.



Whole of home cooling

Cool your entire home without zoning and enjoy all parts of your indoor and outdoor living.



Powerful cooling

Braemar cooler is designed to deliver maximum cooling performance with minimum energy and water consumption, even during the hottest heatwayes.



Built to out-last

Permatuf® polymer cabinet is designed to withstand the harshest extremes of climate, year after year.



Superb engineering

Braemar's clever water distribution system, incredibly smart automatic drain valve and its AutoWinterseal™ features, together reduce the need for seasonal maintenance^.



So easy to use

Set the comfort level you want on the one controller and the Braemar unit does the rest. Available with the new MaglQtouch Controller - with advanced touch screen technology.



The right choice for the environment

Evaporative coolers consume only a small proportion of the energy consumed by ducted refrigerated systems.



 $^{\ \, \ \, \ \, \}dagger \text{Always consult your medical practitioner for information regarding your specific condition.}$

[^]Seasonal maintenance is the time consuming routine required by some other units. Ask your dealer for a complete rundown. Seasonal maintenance does not replace regular maintenance of the unit as required for peak performance.

Braemar specifications

Ducted gas heating



	Model	Series name	Stars	Gas rate (MJ/h)	@ 100 Pa	Output			Length	Width	Height	Duct dia	O torre
				(1413/11)	(I/s)	(kW)	Standard	Option	(mm)	(mm)	(mm)	(mm)	Gas type
7 star equivalent*	TQS730	Ecostar	7.0*	100	700	26.6	MaglQtouch		1165	510	660	350	NG
	Super-Six TQS632	Supernova	6.8*+	122	935	31.2	MaglQtouch		1165	510	660	350	NG
	Super-Six TQS6X32 [†]	Supernova	6.8*+	122	1070	31.2	MaglQtouch		1165			400	NG NG
6.3 and 6.8 star equivalent*	Super-Six TQS623	Supernova	6.8*	88	640	23.5	MaglQtouch		1150	385	660	300	NG
equiv	Super-Six TQS6X23 [†]	Supernova	6.8*	88	755	23.5	MaglQtouch		1150	385	660	350	NG
star Star	TQM618	Ecostar	6.3*	70	500	17.9	MaglQtouch		1150	385	660	300	NG
d 6.8	TQM623	Ecostar	6.3*	88	640	22.5	MaglQtouch		1150	385	660	300	NG
.3 an	TQM6X23 [†]	Ecostar	6.3*	88	755	22.5	MaglQtouch		1150	385	660	350	NG/Propane
	TQM632	Ecostar	6.3*	122	935	31.2	MaglQtouch		1165	510	660	350	NG
	TQM6X32 [†]	Ecostar	6.3*	122	1070	31.2	MaglQtouch		1165	510	660	400	NG/Propane
=	TQ516	Ecostar	5.6	60	500	16.0	MaglQtouch		1150	385	660	300	NG/Propane
5 sta	TQ523	Ecostar	5.6	88	640	23.0	MaglQtouch		1150	385	660	300	NG
nsing	TQ5X23 [†]	Ecostar	5.6	88	755	23.0	MaglQtouch		1150	385	660	350	NG/Propane
Condensing 5 star	TQ532	Ecostar	5.6	122	935	32.0	MaglQtouch		1165	510	660	350	NG
8	TQ5X32 [†]	Ecostar	5.6	122	1070	32.0	MaglQtouch		1165	510	660	400	NG/Propane
ita i	TQM516	Ecostar	5.2	70	475	15.9	MaglQtouch		770	385	660	300	NG
	TQM520	Ecostar	5.2	88	630	20.0	MaglQtouch		770	385	660	300	NG
Non-condensing 5 star	TQM5X20 [†]	Ecostar	5.2	88	695	20.0	MaglQtouch		770	385	660	350	NG/Propane
Suos	TQM530	Ecostar	5.2	122	960	27.8	MaglQtouch		880	510	660	350	NG
Non	TQM5X30 [†]	Ecostar	5.2	122	1050	27.8	MaglQtouch		880	510	660	400	NG/Propane
gu ≽	TQMD516 [‡]	Adaptair	5.2	70	440	15.9	MaglQtouch		770	385	635	NA	NG
Non- condensing 5 star downflow	TQMD520 [‡]	Adaptair	5.2	88	490	20.0	MaglQtouch		770	385	635	NA	NG
100 a	TQMD530 [^]	Adaptair	5.2	122	880	27.8	MaglQtouch		880	510	650	NA	NG
	TQ415	Ecostar	4.7	60	475	14.0	MaglQtouch		770	385	660	300	NG
	TQ420	Ecostar	4.7	80	630	18.0	MaglQtouch		770	385	660	300	NG
	TQ4X20 [†]	Ecostar	4.7	80	695	18.0	MaglQtouch		770	385	660	350	NG
, in	TQ425	Ecostar	4.7	100	755	23.0	MaglQtouch		770	385	660	350	NG
4 star	TQ4X25 [†]	Ecostar	4.7	100	810	23.0	MaglQtouch		770	385	660	350	NG
	TQ430	Ecostar	4.7	122	960	28.0	MaglQtouch		880	510	660	350	NG
	TQ4X30 [†]	Ecostar	4.7	122	1050	28.0	MaglQtouch		880	510	660	400	NG
	TQ435	Ecostar	4.7	140	1050	32.0	MaglQtouch		880	510	660	400	NG
	TQ315	Ecostar	3.7	60	475	14.0	Manual	MaglQtouch	770	385	660	300	NG
	TQ320	Ecostar	3.7	80	630	18.0	Manual	MaglQtouch	770	385	660	300	NG
	TQ3X20 [†]	Ecostar	3.7	80	695	18.0	Manual	MaglQtouch	770	385	660	350	NG
3 star	TQ325	Ecostar	3.7	100	755	23.0	Manual	MaglQtouch	770	385	660	350	NG
?	TQ3X25 [†]	Ecostar	3.7	100	810	23.0	Manual	MaglQtouch	770	385	660	350	NG
	TQ330	Ecostar	3.7	122	960	28.0	Manual	MaglQtouch	880	510	660	350	NG
	TQ3X30 [†]	Ecostar	3.7	122	1050	28.0	Manual	MaglQtouch	880	510	660	400	NG
3	TQD315 [‡]	Adaptair	3.7	60	440	14.0	Manual	MaglQtouch	770	385	635	NA	NG
				00	490	18.0	Manual	MaglQtouch	770	385	635	NA	NG
3 star downflow	TQD320 [‡]	Adaptair	3.7	80	490	10.0	iviaituai	Magigloucii	110	000	000		

^{*}Star rating equivalent. Based on Australian Gas Association's results calculated in accordance with the testing methodology in AS4556-2011.



[†]Extra air models are designed to have Braemar add-on cooling system added.

‡Bracket dimensions to fit existing supply/return air plenum box for TQD315/20 and TQMD516/20 models: 770mm(W) x 395mm(D).

ABracket dimensions to fit existing supply/return air plenum box for TQD330 and TQMD530 models: 880mm(W) x 565mm(D).

Braemar specifications

Add-on cooling

Invertair series#

Indoor unit	Outdoor unit	Ducted gas heater airflow I/s @ 100Pa @ Fan Speed 10	Invertair capacity Min-Nominal-Max Capacity (kW) Airflow (I/s)	Max fan speed setting	Applicable Braemar "TQ" ducted gas heaters
SACV10D1S	SCHV10D1S	695	3.20-10.00-11.00	9	TQ3X20, TQ4X20, TQM5X20
SACVIUDIS		755	330-550-650	8	TQS6X23, TQ5X23, TQM6X23
SACV12D1S	SCHV12D1S	695	4.00-13.00-13.50	10	TQ3X20, TQ4X20, TQM5X20
		755	415-610-800	10	TQS6X23, TQ5X23, TQM6X23
SACV14D1S	SCHV14D1S	695		10	TQ3X20, TQ4X20, TQM5X20
		755	6.00-14.50-14.50 470-700-800	10	TQS6X23, TQ5X23, TQM6X23
		810	470-700-000	10	TQ3X25, TQ4X25
040/40040	0011140040	1070	6.40-15.50-17.00	10	TQS6X32, TQ4X30, TQ3X30
SACV16D1S	SCHV16D1S	1070	610-1050-1070	10	TQM5X30, TQ5X32, TQM6X32

SACC series#

Indoor unit	Outdoor unit	Nominal airflow (I/s @ 100Pa)	Nominal capacity Total/Sensible (kW)	Nominal AEER	Applicable Braemar ducted gas heaters
SACC09C-S	U3009A	630	8.8 / 7.4	3.28	TQS6X23, TQM6X23, TQ5X23, TQM5X20, TQ4X20, TQ3X20
SACC11C-S	SCHF11C1S	755	10.8 / 9.6	3.34	TQ4X25, TQ3X25, TQS6X23, TQM6X23, TQ5X23
SACC15C-S	SCHF15C1S	935	14.5 / 12.7	3.47	TQS6X32, TQM6X32, TQ5X32, TQM5X30, TQ4X30, TQ3X30
SACC15C-S	SCHF15C1S	810	14.0 / 11.3^	3.40^	TQ4X25, TQ3X25
SACC18C-S	SCCF18C1S	935	16.6 / 13.5	3.38	TQS6X32, TQM6X32, TQ5X32, TQM5X30, TQ4X30, TQ3X30
SACC18C-S	SCCF18C1S	810	16.0 / 12.5^	3.30^	TQ4X25, TQ3X25
SACC18C-S	SCHF18C3S	935	17.1 / 14.0	3.19	TQS6X32, TQM6X32, TQ5X32, TQM5X30, TQ4X30, TQ3X30
SACC18C-S	SCHF18C3S	810	16.5 / 12.6^	3.15^	TQ4X25, TQ3X25
SACC21C-S	U30213A	1050	21.0 / 17.0	3.14	TQS6X32, TQM6X32, TQ5X32, TQM5X30, TQ4X30, TQ3X30
SACC21C-S	BC253A	1050	24.0 / 18.0	3.25	TQS6X32, TQM6X32, TQ5X32, TQM5X30, TQ4X30, TQ3X30

Knowledge, expertise and support

Your experienced Seeley International dealer is there to provide you with expert advice.

We're fully trained to help you choose the best climate control system to suit your family, your lifestyle and your budget.

ON THE YEAR THE YEAR



CompuComfort™ sizing system

For a smarter design CompuComfort is another brilliant example of Seeley International innovation.

Exclusive to your Seeley International dealer, the intelligent CompuComfort design program uses a unique web application to accurately profile your

home's key architectural aspects. CompuComfort considers a variety of factors such as solar and thermal gains, insulation values; in so doing it ensures the optimum system is specified for your unique requirements.



Warranty

Every single Braemar ducted gas heating unit is made from premium grade materials and supported by a comprehensive factory-backed warranty.

Our industry standard 7 year comprehensive warranty" for residential ducted gas heating also comes with a 10 year heat exchanger and Burner warranty.

While our engineering and quality control procedures mean we don't think you'll ever need to use it, our warranty is there for your protection and peace of mind.

Note: Care must be taken to ensure that the AOC coil maximum airflow is not exceeded. This can be done by setting the ducted gas heater maximum airflow during the commissioning and set up stage. Please refer to the TQ model Installation Manual. All previous XA heaters, having the appropriate airflow may also be suitable to the above Invertair and AOC models. Please consult your dealer for further clarification. ^Capacity and AEER is estimated using HPRater™ Version 5 simulation software. **The 7 year comprehensive warranty is available exclusively (i.e. only) if the product is purchased from Seeley International participating dealers. If it is not, then the warranty period, when the product is used for keeping people warm), the warranty period is 5 years, and it is 1 year for non-domestic heating applications. The warranty has terms and conditions, including the requirement for regular servicing of the product in accordance with the owner's manual. In the fourth year the service must be performed by Seeley International or its appointed nominee.



















Seeley International is Australia's largest air conditioning and ducted gas heating manufacturer and a global leader in developing ingenious, energyefficient cooling and heating products.

Our vision is to lead the world in creating climate control solutions which continue to be highly innovative, of premium quality and inspirational in their delivery of energy-efficiency.

But it's more than just a vision... it's a way of life!

A commitment to innovation and excellence is at the heart of all that we do. Our success in delivering on that commitment has been recognised by our many awards and our expanding global presence. Seeley International now exports to well over 120 countries. Not bad for a company that started out in 1972 in the garage of its founder and Executive Chairman, Frank Seeley AM FAICD, who was named South Australian of the Year for 2011!

Seeley International offers a range of heating and cooling solutions, many of which can be combined.

	Ducted evaporative cooling	Indirect evaporative cooling	Ducted gas heating	Reverse cycle air conditioning & add-on cooling	Portable heating / cooling	Wall furnaces & space heaters	Gas cooktops
Breezair	✓						
Braemar	~		~	~		~	
Climate Wizard		~					
Convair					✓		
Coolair	✓						
Braemar Tudor Romeo							~
Coolerado		✓					

braemar.com.au 1300 360 815



Seeley International Pty Ltd ABN 23 054 687 035

112 O'Sullivan Beach Road. Lonsdale, South Australia 5160 Phone (08) 8328 3850 Fax (08) 8328 3951

Email marketing@seeleyinternational.com

Website seeleyinternational.com