

## VICTORIAN GAS LOG SPACE HEATERS







The Coonara Grange Victorian is a heater for homeowners who appreciate the beauty of woodheaters with the ease of gas log heating. The Coonara Grange and Royal Victorian comes with a thermostat controller as standard, which allows you to control the room temperature to suit your comfort levels on cold, chilly nights.

### Where tradition meets innovation.

- 86.5% efficiency rating
- 5.1 star energy rating
- Heats up up to 20 squares
- Colour: Black



**5.1** star energy rating









The Coonara Chateau
Victorian is a heater for
homeowners who desire
the beauty of a woodheater
with the ease of gas log
heating. It combines modern
electronic technology and a
power balanced flue system
for greater heating efficiency
with a beautiful log flame.

### Where tradition meets innovation.

- 83% efficiency rating
- 4.6 star energy rating
- Heats up to 14 squares
- Colour: Black



4.6 star energy rating







The panoramic view of the Hermitage Inbuilt Victorian with its beautiful and realistic flame patterns will keep you warm and cosy on cold and chilly nights.

## Where tradition meets innovation.

- 83% efficiency rating
- 4.6 star energy rating
- Heats up to 14 squares
- Colour: Black



4.6 star energy rating



# VICTORIAN GAS LOG SPACE HEATER TECHNICAL CE





# TECHNICAL SPECIFICATIONS

|   |   | ROYAL<br>VICTORIAN          | GRANGE<br>VICTORIAN         | GRANGE<br>INBUILT<br>VICTORIAN<br>BAYWINDOW | CHATEAU<br>SERIES 1<br>VICTORIAN | HERMITAGE<br>INBUILT<br>VICTORIAN |
|---|---|-----------------------------|-----------------------------|---|----------------------------------|-----------------------------------|
| HEATING CAPACITY UP TO SQUARES SQUARE METRES* |   | 20<br>200                   | 20<br>200                   | 20<br>200                                   | 14<br>140                        | 14<br>140                         |
| EFFICIENCY RATING                             |   | 83%                         | 86.5%                       | 86.5%                                       | 83%                              | 83%                               |
| STAR RATING                                   |   | 4.6                         | 5.1                         | 5.1   | 4.6                              | 4.6                               |
| FIRE BOX                                      | HEIGHT (mm)<br>WIDTH (mm)<br>DEPTH (mm) | 600<br>705<br>430           | 600<br>705<br>430           | 595<br>700<br>245                           | 595<br>695<br>435                | 595<br>695<br>355                 |
| OVERALL<br>DIMENSIONS                         | HEIGHT (mm)<br>WIDTH (mm)<br>DEPTH (mm) | 680<br>860<br>450           | 680<br>860<br>450           | 680<br>860<br>430                           | 675<br>800<br>465                | 675<br>800<br>510                 |
| CAST IRON FASCIA DIMENSION (mm)<br>& MODEL    |   | 990x1130<br>(600)           | 990x1130<br>(600)           | 990x1130<br>(600)                           | 990x1130<br>(600)                | 990x1005<br>(500)                 |
| FLUEING<br>OPTIONS                            | VERTICAL<br>HORIZONTAL<br>UNDER FLOOR   | YES<br>YES<br>YES           | YES<br>YES<br>YES           | YES<br>YES<br>YES                           | YES<br>YES<br>NO                 | YES<br>YES<br>NO                  |
| THERMOSTAT CONTROLLER                         |   | YES                         | YES                         | YES   | OPTIONAL                         | OPTIONAL                          |
| HEAT TRANSFER KIT                             |   | OPTIONAL                    | OPTIONAL                    | OPTIONAL                                    | NO                               | NO                                |
| NATURAL GAS & LPG                             |   | NATURAL GAS                 | вотн                        | ВОТН  | вотн                             | вотн                              |
| DESPATCH WEIGHT (KG)                          |   | 90                          | 90                          | 82  | 81                               | 84                                |
| GAS INPUT                                     |   | 37MJH - High<br>19MJH - Low | 37MJH - High<br>19MJH - Low | 37MJH - High<br>19MJH - Low                 | 33MJH - High<br>23MJH - Low      | 33MJH - High<br>23MJH - Low       |

#### **Tested and approved**

Tested and approved to the most stringent quality standards for safety and efficiency. AGA approved. Certificate No. 70486 6165G.

### **Coonara Warranty**

All current Coonara gas heaters are warranted to be free from defects in material and workmanship under normal use and service. The warranty of the actual firebox and heat exchanger is 5 years – to the initial purchaser. All other components (except accidental breakage of door glass) are warranted for a period of 24 months.

Coonara gas log fires are designed and tested for use with Coonara manufactured flue kits. For the full warranty statement, refer to the Shamic Sheetmetal (Aust) P/L website (www.shamic.com), the product installaion manual, or your Coonara dealer. Shamic goods come with guarantees that cannot be excluded under Australian Consumer Law. The purchaser is entitled to a replacement or a refund for a major failure and compensation for any reasonably forseeable loss or damage. The purchaser is also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Note: All Coonara heaters must be installed by our authorised installer to be covered by our warranty statement.



### THERMOSTAT Controller

- Ability to control room temperature and LED lighting.
- Programmable heating levels to enhance comfort control.
- Large easy to read backlit LCD screen.
- Powered by 2x AA batteries for approximately 12 months of operation
- Full seven-day program capability

\*IMPORTANT: Heating areas provided are based on open plan living areas and 2.4 metre ceiling height. Note: Lack of insulation, large window areas and cathedral ceilings reduce heating effectiveness.

Your Legendary Coonara dealer is:



**14-18 Research Dve, Croydon Sth. 3136** Tel: **(03) 9737 5300** Fax: **(03) 9761** 6455

A.B.N. 61 007 251 569

www.shamic.com



All of the information contained in this brochure was correct at the time of printing, March 2016. However, the manufacturer reserves the right to make changes to design and specification without notice. You can confirm current designs, specifications, optional extras and financial details by consulting your nearest authorised Coonara dealer.

Please note: Due to the nature of the printing process, colours may vary from those shown in this catalogue. Ask your dealer to show you a colour sample.

All heaters pictured in this brochure are operating on Natural Gas. Flame patterns on LPG are different.